

◆LABIO is an easy-to-use, portable application lotion, and effectively relieves cracks in the lips and stomatitis. The drug does not cause much irritating sensation in the mouth and mucosa, and is suitable for children as well.

## Indication

Dry cracking lips/sores, stomatitis, and glossitis

## Dosage and administration

Apply an appropriate dose onto the lesion.

Comply with the prescribed dosage and administration instructions.

When allowing children to use the medicine, a guardian must be present to watch and tell such them how to use it.

Use the drug only for the oral cavity. Do not use the drug for other areas than the oral cavity.

## ingredient and amount

In 100 g  
Panthenol 0.3g  
Allantoin 0.2g  
Glycerin 42g  
Honey 42g

## Excipients

Butyl parahydroxybenzoate,Sodium benzoate,Edetate sodium,pH adjusting agent

## Precautions

### When not to use the product

(If you do not follow these instructions, the current symptoms may worsen or adverse reactions are more likely to occur.)

- This product should not be used in the following persons:  
Infants under 1 year old.

### Consultation

- The following persons should contact a physician, pharmacist, or registered salesperson for a consultation before use.  
Patients undergoing medical treatment from a physician  
Patients who have experienced allergic symptoms associated with drugs, etc.  
Those with severe moistening or erosion  
If the following symptoms are observed after taking this drug, these may be adverse reactions, so immediately discontinue the use of this drug, and show this document to your physician, pharmacist, or registered salesperson for a consultation.  
Skin  
rash/redness  
itching
- If symptoms do not improve even after using this medicine for 5 to 6 days, stop taking this medicine and consult a physician, pharmacist or registered salesperson, being sure to take this instruction leaflet with you.

## Precautions for storage and handling

Store in a cool, low humidity place away from direct sunlight.  
Store the product beyond the reach of children.  
Do not transfer the drug to other containers. (It may lead to misuse or quality deterioration)  
Do not use the product past the expiration date.  
Even within the expiration date, use up as soon as possible once it is opened (to assure the quality).

51

### 【Disclaimer on Multilingual OTC Product Information】

- This product is a pharmaceutical product approved under a Japanese law, the Law for Ensuring the Quality, Efficacy and Safety of Drugs and Medical Devices, with a view to its sale and use in Japan.
- Multilingual product information is a translation of the product labeling written in Japanese and provided for your information only. It does not warrant that its contents and the product itself conforms to laws and regulations in countries other than Japan.
- Multilingual product information is a tentative translation by the provider (or Our Company), and may be modified or altered without notice.
- The provider (or Our Company) assumes no responsibility for any occurred problem attributable to the contents of the multilingual product information.