# PABRON GARGLING AGENTS AZ

Class 3 OTC drug
Gargling agents

◆ Swelling in the throat is uncomfortable, and could cause various complications. Early treatment is important. ■PABRON GARGLING AGENTS AZ contains an anti-inflammatory agent azulene sulfonate sodium hydrate. ■Azulene sulfonate sodium hydrate effectively alleviates and relieves swelling in mouth and throat. ■You may also gargle with the product when you have food stuck between teeth.

#### Indication

inflammation of the mouth and throat, cleansing of the mouth

## Dosage and administration

Dilute about 10 drops (approx. 0.4 mL) of this drug in about 100 mL of cold or lukewarm water, and gargle with the diluted solution several times. Repeat this several times daily.

Comply with the prescribed dosage and administration instructions.

Be sure to dilute the drug for use.

When allowing children to use the medicine, a guardian must be present to watch and tell such them how to use it. Use the drug only for gargling.

Dilute the drug immediately before using. Use the diluted drug as soon as possible.

## ingredient and amount

In 100 mL

Sodium azulene sulfonate 0.5g

#### Excipients

Anhydrous ethanol, Glycerin, Polyoxyethylene hydrogenated castor oil, sodium hydrogen phosphate, Sodium dihydrogen phosphate, I-Menthol, Mentha oil, Lemon oil, Fennel oil

#### **Precautions**

### Consultation

• The following persons should contact a physician, dentist, pharmacist, or registered salesperson for a consultation before

Patients undergoing medical treatment from a physician or dentist.

Patients who have experienced allergic symptoms associated with drugs, etc.

Persons with the following symptoms:

Erosion inside the mouth.

• If the following symptoms are observed after using this drug, these may be adverse reactions, so immediately discontinue the use, and show this document to your physician, dentist, pharmacist, or registered sales person for a consultation.

Mouth:

Irritation

• When symptoms do not improve even after using the medicine 5 to 6 days, stop using this medicine and consult a physician, dentist, pharmacist or registered salesperson, being sure to take this instruction leaflet with you.

## Precautions for storage and handling

Avoid direct sunlight, and store the product in a cool place with an air tight closure on.

Store the product beyond the reach of children.

Do not transfer the drug to other containers. (It may lead to misuse or quality deterioration.)

Do not use the product past the expiration date.

Do not place the drug close to any source of flame.

32

#### [Disclaimer on Multilingual OTC Product Information]

- •This product is a pharmaceutical product approved under a Japanese law, the Law for Ensuring the Quality, Efficacy and Safety of Drugs and Medical Devices, with a view to its sale and use in Japan.
- •Multilingual product information is a translation of the product labeling written in Japanese and provided for your information only. It does not warrant that its contents and the product itself conforms to laws and regulations in countries other than Japan.
- •Multilingual product information is a tentative translation by the provider (or Our Company), and may be modified or altered without notice.
- •The provider (or Our Company) assumes no responsibility for any occurred problem attributable to the contents of the multilingual product information.

11-Jul-2019 1/1 page