

医薬品を正しく購入するための
説 明 文 書

第一類医薬品

使用前には必ず添付文書を読んでください

1	名 称	リアップX5プラスローション
2	成分・分量	100mL 中 ミノキシジル 5.0g ピリドキシン塩酸塩 0.05g トコフェロール酢酸エステル 0.08g l-メントール 0.3g
3	用法・用量	成人男性（20才以上）が、1日2回、1回1mLを脱毛している頭皮に塗布してください。
4	効能・効果	壮年性脱毛症における発毛、育毛及び脱毛（抜け毛）の進行予防。
5	保健衛生上の危害を防止するために必要な事項	<ol style="list-style-type: none">次の人は使用しないでください (1) 本剤又は本剤の成分によりアレルギー症状を起こしたことがある人。 (2) 女性。 (3) 未成年者（20才未満）。 (4) 壮年性脱毛症以外の脱毛症（例えば、円形脱毛症、甲状腺疾患による脱毛等）の人、あるいは原因のわからない脱毛症の人。 (5) 脱毛が急激であったり、髪が斑状に抜けている人。次の部位には使用しないでください (1) 本剤は頭皮にのみ使用し、内服しないでください。 (2) きず、湿疹あるいは炎症（発赤）等がある頭皮。本剤を使用する場合は、他の育毛剤及び外用剤（軟膏、液剤等）の頭皮への使用は、さけてください。また、これらを使用する場合は本剤の使用を中止してください次に該当する人はお申し出ください<ul style="list-style-type: none">今までに薬や化粧品などによりアレルギー症状（例えば、発疹・発赤、かゆみ、かぶれ等）を起こしたことがある人。高血圧の人、低血圧の人。心臓又は腎臓に障害のある人。むくみのある人。家族、兄弟姉妹に壮年性脱毛症の人がいない人。高齢者（65才以上）。次の診断を受けている人。 甲状腺機能障害（甲状腺機能低下症、甲状腺機能亢進症）。
6	薬剤師が必要と判断する事項	<div style="border: 1px solid black; padding: 5px;"><p style="text-align: center;">〈ご使用にあたって〉</p><p>お使いになる方の髪質や1ヵ所への集中塗布などにより、ごわつき感が出たり、くし通りが悪くなったり、部分的に白くなる(成分の結晶化)ことがあります。毎日洗髪を行い、頭皮を清潔にして、用法・用量を守ってお使いください。</p></div>

〔注意事項〕

- 本紙の内容は、お客様が医薬品を購入・選択時に、役立たせるために必要な情報です。
- 法令により、要指導医薬品は必ず、第一類医薬品は薬剤師が不要と判断した場合を除いて、情報提供を行います。
- 使用後、体調に変化等があった場合（副作用など）には使用を中止し、すぐに購入された店舗の薬剤師にご相談ください。



包装	60mL
----	------

〈商品特長〉

- ◆有効成分ミノキシジルを5%配合することにより、優れた発毛効果を発揮します。
- ◆ミノキシジルの他に、清涼感を与え、頭皮の発毛環境を整える、3つの有効成分（ピリドキシン塩酸塩、トコフェロール酢酸エステル、*l*-メントール）を配合しています。
- ◆キャップを開け、頭皮に押しあてるだけで、1回量の1mLを計量できる容器です。

Information sheet

to help you purchase the correct medication

Category I Medicines

Please make sure you read the package insert before use.

1	Name	RiUP X5 Plus Lotion
2	Ingredients/ amount	100mL of lotion contains: minoxidil 5.0g, pyridoxine hydrochloride 0.05g, tocopherol acetate 0.08g, <i>l</i> -menthol 0.3g
3	Dosage and administration	For use by adult men (20 years or over). Twice daily, apply 1mL of lotion to the area of the scalp affected by hair loss.
4	Indication	Hair growth, hair restoration and prevention of progression of hair loss in premature alopecia.
5	Precautions necessary to prevent health or hygiene risks	<p>1. The following people should not use this drug:</p> <p>(1) People who have experienced an allergic reaction to this drug or its ingredients.</p> <p>(2) Women.</p> <p>(3) Minors (under 20 years).</p> <p>(4) People with a type of alopecia other than premature alopecia (for example, alopecia areata or hair loss due to thyroid disease), or people with alopecia of unknown cause.</p> <p>(5) People who have experienced rapid hair loss, or loss of hair in patches.</p> <p>2. Do not use this drug on the following areas:</p> <p>(1) Apply this drug on the scalp only. Do not take it orally.</p> <p>(2) Do not apply the drug on any areas of the scalp with wound, eczema, inflammation (redness) or similar symptoms.</p> <p>3. When using this drug, avoid using other hair restoration medication or topical medication (such as ointments or solution) on the scalp. If you use medication of this kind, stop using this drug.</p> <p>4. Please inform a pharmacist if any of the following conditions apply to you:</p> <ul style="list-style-type: none"> * You have ever developed allergy symptoms (for example, a rash, redness, itching or skin irritation) due to medication or cosmetics. * You have high blood pressure or low blood pressure. * You have a disorder of the heart or kidneys. * You have swelling caused by fluid (edema). * No members of your family, such as brothers or sisters, have premature alopecia. * You are an elderly person (65 years or over). * You have been diagnosed with any of the following: Thyroid dysfunction (hypothyroidism or hyperthyroidism).
6	Other information that the pharmacist considers necessary	<p style="text-align: center;">[When you use this drug]</p> <p>Depending on the condition of your hair, or if you apply this drug to a single location, your hair may feel rough or difficult to comb, or become white in some areas (due to crystallization of the ingredients). Wash your hair every day, keep your scalp clean, and follow the directions on dosage and administration.</p>

[Points to note]

1. This paper contains the information necessary to help you to purchase and select medication.
2. By law, information about Pharmacist Intervention Required Medicines must be provided to you, and information about Category I Medicines must be provided unless a pharmacist determines that this is not necessary.
3. If you experience any change in your condition (such as an adverse reaction) after using this drug, immediately consult a pharmacist at the store where you purchased it.



Package	60mL
---------	------

[Product features]

- ◆RiUP X5 Plus Lotion contains the active ingredient minoxidil at a concentration of 5%, for a beneficial hair growth effect.
- ◆In addition to minoxidil, RiUP X5 Plus Lotion also contains three other active ingredients (pyridoxine hydrochloride, tocopherol acetate and *l*-menthol), which feel fresh and cool, and condition the environment of your scalp.
- ◆The container allows you to measure out a single dose of 1mL simply by opening the cap and placing it against your scalp.