TOKUHON DASH AERO

OSix active	ingredients	effectively	relieve	pain.

- OThe drug solution is sprayed efficiently on the affected site without spreading out.
- OThe mild scent suits any scenes and occasions. The powder-contained spray gives a smooth feel.

Indication

Muscular fatigue, muscular pain, joint pain, contusions, sprains, lumbago, stiff shoulders, and frostbite

Dosage and administration

Spray an appropriate dose on the lesion several times daily.

Precaution

- The use of the drug for children should be supervised by a parent. Children under 7 years old should not use this drug because it may cause tingling sensations.
- · Do not spray onto the face.
- If the drug comes into contact with the eyes, immediately rinse with cold or lukewarm water. If the symptoms are severe, seek medical attention from an ophthalmologist.
- Do not use a large quantity of the drug or cover an extensive area.
- This drug is only for external use. Do not inhale it. Inhalation may cause symptoms such as dizziness and nausea. Use this drug carefully, avoid inhalation, and pay attention to people around you.
- · Considering that the drug contains powder, shake well before use.
- To prevent possible frostbite, spray the drug on the affected site from a distance of at least 10 cm. Do not spray to the same site for more than 3 seconds continuously.

Ingredient

Active ingredients in 100mL

ℓ-Menthol 2.1g

Glycol salicylate 1.5g

Vitamin E acetate 0.3g

Benzyl nicotinate 6mg

Chlorpheniramine Maleate 30mg

Glycyrrhetinic Acid 60mg

Excipients

Alcohol, talc, DME, flavoring

Precautions

When not to use the product

(If you do not follow these instructions, the current symptoms may worsen or adverse reactions are more likely to occur)

Do not use in the following sites

Periorbital area, mucosa, etc.

Eczema, contact dermatitis, open wounds.

Consultation

• The following persons should contact a physician, pharmacist, or registered salesperson for a consultation before use

Patients who have experienced allergic symptoms associated with drugs, etc.

• If the following symptoms are observed after using this drug, these may be adverse reactions, so immediately discontinue the use, and show this document to your physician, pharmacist, or registered sales person for a consultation

Skin: rash/redness, itching, eruption, swelling, pain

• If symptoms do not resolve after using the drug for 5 or 6 days, stop using this medicine, and show this document to your physician, pharmacist, or registered salesperson for a consultation

13 June 2022 1 / 2page

Precautions for storage and handling

- Store this in a cool place, avoiding direct sunlight.
- Do not place the drug close to any source of flame.
- · Store the product beyond the reach of children.
- · Do not transfer the drug to other containers. (It may lead to misuse or quality deterioration)
- Do not use the product past the expiration date. (to assure quality)
- · Release the remaining gas in the following way before discarding it.

Precaution and method of releasing the gas

(Products with a gas releasing cap)

- *After using up the product, release the gas outdoors in a place with no flame sources.
- *The remaining drug solution is ejected along with gas. Do not put your face close to the container when eliminating the gas.
- *Only use the cap provided with this drug.
- 1) Pull off the push button.
- ②Remove the top of the cap, and place it face down on a flat place.
- ③Squeeze in the main unit into the center hole of the top of the cap, and leave it as is until the sound of ejection ceases.
- After the spraying sound completely disappears, discard the container according to the municipal rules.

Be careful of flame sources and high temperatures

Amount of contents 200mL

41

(Disclaimer on Multilingual Product Information)

- •This product is a pharmaceutical product approved under a Japanese law, the Law for Ensuring the Quality, Efficacy and Safety of Drugs and Medical Devices, with a view to its sale and use in Japan.
- •Multilingual product information is a translation of the product labeling written in Japanese and provided for your information only. It does not warrant that its contents and the product itself conforms to laws and regulations in countries other than Japan.
- •Multilingual product information is a tentative translation by the provider (or Our Company), and may be modified or altered without notice.
- •The provider (or Our Company) assumes no responsibility for any occurred problem attributable to the contents of the multilingual product information.

13 June 2022 2 / 2page