

# ZENA KING

Class 2 OTC drug

Vitamin-containing health  
drugs

◆ZENA King is a mini drink that contains a total of 17 herbal medicines (a total of 6050 mg of crude herbal medicine) that include young deer horn and Cistanche herb that have been used as tonic herbal medicine in China and tonic herbal medicine muirapuama which originated in Brazil, as well as taurine and vitamins. ■When fatigue persists because of overwork and little rest, or you cannot work harder as used to because of accumulated daily fatigue, you should also consider deterioration of physical functions. The product is very effective to supplement nutrition for such conditions, for those who lose physical strength due to cold and other thermogenic degenerative diseases, and those who need extra effort for the day.

## Indication

Nutritional supplements during physical fatigue, during and after illness (or when physical strength is impaired after illness), nutritional disorders, feverish wearing disease□

Loss of appetite

For nutritional supplementation during pregnancy/nursing

Nutrients/tonics

Weak constitution

## Dosage and administration

Adults (15 years or over): Take 1 bottle (50 mL) per dose once daily.

Under 15 years: Do not take

Comply with the prescribed dosage and administration instructions.

The drug contains a herbal extract. Sedimentation may occur in rare cases. This does not affect drug efficacy.

Shake well before taking the drug.

## ingredient and amount

In 50 mL

Cistanche H e r b Extract 151.6mg (equivalent to 500 mg of the crude drug)

Fur Seal Penis and Testis Fluid Extract 0.1mL (equivalent to 100 mg of the crude drug)

Antler Velvet Tinctures 1.08mL (equivalent to 300 mg of the crude drug)

Epimedium Herb extract 100mg (equivalent to 1000 mg of the crude drug)

Tochukaso Fluid Extract 0.3mL (equivalent to 300 mg of the crude drug)

Cnidium Monnieri Fruit extract 600mg (equivalent to 300 mg of the crude drug)

Dodder Seed Extract 33mg (equivalent to 300 mg of the crude drug)

Eucommia Bark Extraction Liquid 0.3mL (equivalent to 300 mg of the crude drug)

Muira Puama Extract-A 15mg (equivalent to 300 mg of the crude drug)

Ginseng extractM 90mg (equivalent to 600 mg of the crude drug)

Dioscorea Rhizome Fluid Extract 0.3mL (equivalent to 300 mg of the crude drug)

Agkistrodon Meat and Bones Tinctures 1.25mL (equivalent to 250 mg of the crude drug)

Cornus Fruit Fluid Extract 0.5mL (equivalent to 500 mg of the crude drug)

Poria Sclerotium extract 9.6mg (equivalent to 300 mg of the crude drug)

Schisandra Fruit Fluid Extract 0.3mL (equivalent to 300 mg of the crude drug)

Glycyrrhiza Extract 25mg (equivalent to 100 mg of the crude drug)

Rehmannia Root Extract-A 150mg (equivalent to 300 mg of the crude drug)

Taurine (Aminoethyl Sulfonic Acid) 500mg

Riboflavin sodium phosphate 5mg

Pyridoxine Hydrochloride (vitamin B6) 5mg

Anhydrous caffeine 50mg

## Excipients

Sugar,Butyl parahydroxybenzoate,Sodium benzoate,Polyoxyethylene hydrogenated castor oil,Povidone ,citric acid,Sodium citrate,flavor,Ethyl vanillin,l-Menthol,alcohol (not more than 1.5mL)

## Precautions relating to ingredient and amount

No need to worry if you have yellow urine after taking the drug because it is caused by the vitamin B2 contained in the drug.

## Precautions

### Consultation

●If the following symptoms are observed after taking this drug, these may be adverse reactions, so immediately discontinue the use of this drug, and show this document to your physician, pharmacist, or registered salesperson for a consultation.

Skin

rash

Gastrointestinal system

feeling of discomfort in the stomach

●The following symptoms may be observed after taking this drug. If these symptoms persist or worsen , discontinue the use of this drug, and show this document to your physician, pharmacist, or registered salesperson for a consultation.

diarrhea

● When symptoms do not improve even after taking this medicine for a while, stop taking this medicine and consult a physician, pharmacist or registered salesperson, being sure to take this instruction leaflet with you.

### Precautions for storage and handling

Store this in a cool place, avoiding direct sunlight.

Store the product beyond the reach of children.

Do not take the product past the expiration date.

71

#### 【Disclaimer on Multilingual OTC Product Information】

•This product is a pharmaceutical product approved under a Japanese law, the Law for Ensuring the Quality, Efficacy and Safety of Drugs and Medical Devices, with a view to its sale and use in Japan.

•Multilingual product information is a translation of the product labeling written in Japanese and provided for your information only. It does not warrant that its contents and the product itself conforms to laws and regulations in countries other than Japan.

•Multilingual product information is a tentative translation by the provider (or Our Company), and may be modified or altered without notice.

•The provider (or Our Company) assumes no responsibility for any occurred problem attributable to the contents of the multilingual product information.